

Series Outline Part II Part III Part I Part IV • Building a Adaptation and Regulations • Building a Strength-based Person-Communication and Additional through the centered Program Resources stages of AD Foundation • A, or • B Recorded and available online Today's webinar



Participation in this workshop will enable you to gain understanding in the concepts of:



A Person-centered Approach



Cognitive Impairment and the impact on daily function



Quality of Life



Meaningful and Purposeful Activity

3






VCU Department of Gerontology https://gerontology.chp.vcu.edu/



Virginia Department for Social Services www.dss.virginia.gov/



Four-part Series: Activities for Persons Living with Cognitive Impairment

Presenter:



Ellen Phipps, MS

Gerontologist
Vice President of Programs & Services
The Alzheimer's Association, Central & Western Virginia Chapter
Adjunct Faculty, VCU Department of Gerontology


Host and Moderator:




Alexa van Aartrijk, MS

Gerontologist Community Education Coordinator, Virginia Commonwealth University

6







Person-centered Care Approach to Activity Programming

- Offer a variety of activities that address a persons needs
- Opportunity for independence
- Are strength-based
- Offer respect, dignity appropriate
- Are meaningful to the person
- Are enjoyable

q



What Makes You Unique?

Consider 3 qualities you would like to be remembered by after you are gone.

- 1.
- 2.
- 3.



Essential Terms

Cognition

Impairment

Quality of Life

Activities

It is essential that staff team members have similar views about the meanings of these terms.

11



Cognition = the mental action or process of acquiring knowledge and understanding through thought, experience, and the senses.

- Learning; understanding
- Capacity for learning; intelligence
- Paying attention; concentrating
- Thinking; having ideas
- Problem-solving
- Using language
- Remembering
- Using judgment
- Performing actions
- Sensing and perceiving



Normal Changes in Cognition with Age

- No significant loss associated with age alone
- Gains in crystallized intelligence
- Some decrease in fluid intelligence
- Experience/Wisdom


13




'Impairment' = damage; weakening

Possible causes:

- Alzheimer's Related Dementia (ARD) and other dementias
- Intellectual disability
- Brain trauma
- Mental illness









Poll: Understanding Dementia


Select all TRUE statements

- □ Alzheimer's is another word for dementia
- □ Alzheimer's is the most common-type of dementia
- ☐ There are about 3 different diseases that cause dementia
- □ Dementia is a normal part of the aging process.

17









STAGES: Early

In the early stage of Alzheimer's, a person may function independently.

21



STAGES: Middle

Moderate / Middle Alzheimer's disease is typically the longest stage and can last for many years. As the disease progresses, the person with AD will require a greater level of care.



STAGES: Late

In the final stage of this disease, dementia symptoms are severe

23



Possible cause: Intellectual disability

- Brain development limited 'stalled'
- Many reasons for impairment
- Occurs before age 18
- Global effects



Alzheimer's Disease and Down's Syndrome

- AD may affect 25 % or more people with Down's over age 35
- 3-5 times greater risk of ARD than general population
- Onset as early as 30 yrs
- % affected increases with age
- Link with genes on Chromosome #21: a 'double dose'

25



Possible Cause: Autism

■ Autism spectrum disorder (ASD) and autism are both general terms for a group of complex disorders of brain development. These disorders are characterized, in varying degrees, by difficulties in social interaction, verbal and nonverbal communication and repetitive behaviors.



Autism (Continued)

- ASD can be associated with intellectual disability, difficulties in motor coordination and attention and physical health issues such as sleep and gastrointestinal disturbances. Some persons with ASD excel in visual skills, music, math and art.
- Autism appears to have its roots in very early brain development. However, the most obvious signs of autism and symptoms of autism tend to emerge between 2 and 3 years of age.

27



Possible cause: Brain Injury

- Occurring after brain maturity
- Affecting specific areas of function
- Widely varying differences between individuals



Possible cause: Mental Illness (MI)

- <u>Biologically</u> based brain disorders
- Brain chemicals, brain structure, genetics
- Disturbances in how a person <u>relates</u> to the world
- Thought disturbances
- Reduced capacity to <u>cope</u> with the demands of life
- <u>Unique set</u> of strengths and needs

29



A Vision for Quality Of Life

Persons experiencing cognitive impairment will find satisfaction and meaning in their daily lives



What is 'Quality of Life'?

Difficult to define and hard to measure:

- <u>Well-being</u> physical, emotional, social, spiritual
- <u>Satisfaction</u> with who you are as a person
- Being able to engage in the things that <u>define</u> you as a person
- <u>Satisfaction</u> with how you fit in with others
- The overall <u>condition</u> of a human life in the person's opinion

31



Quality of life

There appears to be some agreement amongst researchers that **mood and affect** are critical components of QOL as well as individuals' preserved abilities to experience **positive emotions**, **feelings of belonging**, **and enjoyment**.

"How good is your life – for you?"

Quality of Life Concepts: 3 domains of our lives

- □Being Who you are as a person
- ■**Belonging How** you fit in with others
- ■**Becoming Things you do** in your life that define you

33



Quality of Life Indicators

- Health and body
- Thoughts and feelings
- Beliefs
- Living situation
- Relationships
- Access to the community
- Purpose in life
- Hobbies, leisure time
- **■** Coping strategies



Poll: Quality Of Life

SELECT ALL TRUE STATEMENTS:

- □ Persons with cognitive impairment are unable to experience good quality of life due to the disease process
- □ Quality of life is defined by each individual
- □ Who I am as a person, and how I fit in with others are indicators of Quality of Life
- □ Activities based on individual preferences might be a good way to enhance Quality of Life

35



Barriers to Quality of Life

THE DISEASE/ SYMPTOMS OUR RESPONSE TO THE SYMPTOMS



37

What makes you unique?

- Think about the icebreaker we did and the core qualities you would like to be remembered by
- How do you get to know the individuals you serve?

CONNECTING

- Where was he/she born?
- Urban or rural? Farm?
- Family background?
- School days?

- Married life?
- Occupation?
- Hobbies?
- Social/cultural/ religious?

39



POLL: Where might you get information?

Please select all of the options that would help inform you about the individuals you serve:

- ☐ The person's chart
- □ Family members and friends
- □ Speaking to the individual one-on-one
- □ Other staff members
- □ Photos and objects in the individual's room




41



Activities are the foundation of care –

Every encounter or exchange is an activity; every interaction with staff members, volunteers, relatives or other individuals; not only scheduled events provided by the activity staff.





Activity Philosophy Sample

The activities that make up a person's daily experience should reflect, as much as possible, that individual's preferred lifestyle while enabling a sense of usefulness, pleasure, success and as normal a level of functioning as possible.



Activity Philosophy from Insight Adult Day Program

The Day Program utilizes a person-centered care approach to provide an environment that focuses on people's strengths rather than their memory limitations, addressing the needs of the total person: physical, mental, and emotional. Recreational Therapy activities are designed to restore motor, social and cognitive functioning, build confidence, develop coping skills, and integrate skills learned in treatment settings into community settings.

45



POLL

Select ALL Person Centered Activity philosophy statements:

- □ Activities should reflect the individuals preferred life-style
- □ Activities should be selected by staff based on staffing ratios
- □ Activities should last for at least 45 minutes
- □ Individuals have the right to refuse an activity



Purpose of Activities

- □ Give <u>meaning</u> to our lives
- □ Structure for our day, but are not necessarily "structured"
- □ Provide sense of accomplishment, value
- □ Define who we are
- □ Express our inner life, emotions
- □ Contribute to life satisfaction
- □ Are enjoyable

Activities meet our needs.

47



Diversional versus Therapeutic Activities

Diversional

Just to do it, filler, no real intent to improve, maintain, etc. Great for entertainment purposes.

■ Therapeutic

"purposive"...bring a change in behavior, directed by one or more goals in different areas of functioning based on plan of care

Benefits and Outcomes of Therapeutic Activity

- Reduces falls and injuries related to falls
- Reduces disturbing behaviors exhibited by individuals with dementia which leads to decreased use of psychotropic medications and chemical restraints
- Relieves pain
- Decreases the symptoms of Depression and Anxiety
- Decreases apathy

- Increases engagement
- Improves subjective wellbeing and quality of life

49

Benefits of Meaningful Activity Promote social interaction which will Prevent Improve Provide boredom and challenging Improve sleep habits Provide enjoyment!!! Prevent physical Improve self reduce feelings of loneliness, mental activity and general health frustration esteem stimulation behaviors isolation and depression



Meaningful & Appropriate

MEANINGFUL

- Reflects life history / work
- · Meets needs
- Sense of purpose
- Sense of belonging
- Culturally appropriate
- Enjoyable
- Encourages independence
- Focus on process not end result
- No wrong answer

APPROPRIATE

- Safe
- Physical/medical needs
- · Meets emotional needs
- Cognitive status
- · Age & gender

The essential balance!

51



Remember: there are things we can control and things we cannot control

We cannot control the person's response to the disease process





HOMEWORK ASSIGNMENT

■ Please watch: PERSON CENTERED MATTERS created by the Dementia Action Alliance (15 mins.)

https://www.youtube.com/watch?v=5R3idioe1eg



Thank You for your time and attention dealing with this very important topic.

The recording of this webinar alongside the slides will be posted online by tomorrow, at which time you shall receive an email with information on accessing today's materials as well as the recording and slides of Parts II, III and IV.